Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
L. Caro
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. A. Gilbert
W. Gilbert
A. Klug
D. E. Koshland
S. Lowey
D. Nathans
D. C. Phillips
C. M. Radding
T. Staehelin
G. M. Tomkins
P. M. B. Walker
K. Weber

LIBRARY USE ONLY
UNIVERSITY OF HAWAII LIBRARY
QH301
J73

VOLUME 79
5 September 1973 to 5 October 1973

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1973, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 79

NUMBER 1, 5 SEPTEMBER 1973

WRIGHT, H. T., Comparison of the Crystal Structures of Chymotrypsinogen-A and α-Chymotrypsin 1

WRIGHT, H. T., Activation of Chymotrypsinogen-A. An Hypothesis based upon Comparison of the Crystal Structures of Chymotrypsinogen-A and α-Chymotrypsin 13

MIGCHELSEN, C. and BEINTEMA, J. J., Proton Nuclear Magnetic Resonance Studies of Histidine Residues in Rat and other Rodent Pancreatic Ribonucleases. Effects of pH and Inhibitors 25

TIMKOVICH, R. and DICKERSON, R. E., Recurrence of the Cytochrome Fold in a Nitrate-respiring Bacterium 39

MITSUI, Y., DYER, F. P. and LANGRIDGE, R., X-ray Diffraction Studies of Bacterial Pili 57

PRAKASH, L. and SHERMAN, F., Mutagenic Specificity: Reversion of Iso-1-Cytochrome *c* Mutants of Yeast 65

RUSSEL, M., Control of Bacteriophage T4 DNA Polymerase Synthesis . . 83

REVZIN, A., NEUMANN, E. and KATCHALSKY, A., Metastable Secondary Structures in Ribosomal RNA. Molecular Hysteresis in the Acid–Base Titration of *Escherichia coli* Ribosomal RNA 95

ITO, K. and ISHIHAMA, A., Subunits of RNA Polymerase in Function and Structure. III. Accumulation of the Intermediate $\alpha_2\beta$ in the Subunit Assembly of *Escherichia coli* RNA Polymerase by Treatment with Cyanate 115

ISHIHAMA, A., FUKUDA, R. and ITO, K., Subunits of RNA Polymerase in Function and Structure. IV. Enhancing Role of Sigma in the Subunit Assembly of *Escherichia coli* RNA Polymerase 127

HULMES, D. J. S., MILLER, A., PARRY, D. A. D., PIEZ, K. A. and WOODHEAD-GALLOWAY, J., Analysis of the Primary Structure of Collagen for the Origins of Molecular Packing 137

LIS, J. T. and SCHLEIF, R., Different Cyclic AMP Requirements for Induction of the Arabinose and Lactose Operons of *Escherichia coli* 149

FARAS, A. J., TAYLOR, J. M., LEVINSON, W. E., GOODMAN, H. M. and BISHOP, J. M., RNA-directed DNA Polymerase of Rous Sarcoma Virus: Initiation of Synthesis with 70 S Viral RNA as Template 163

PATEL, D. J., TONELLI, A. E., PFAENDER, P., FAULSTICH, H. and WIELAND, TH., Experimental and Calculated Conformational Characteristics of the Bicyclic Heptapeptide Phalloidin 185

LETTER TO THE EDITOR

ROSSMANN, M. G., ÅKERVALL, K., LENTZ, P., JR and STRANDBERG, B., X-ray Studies of the Satellite Tobacco Necrosis Virus: Position of the Virus Particle in the Crystallographic Cell 197

ERRATUM 205

NUMBER 2, 15 SEPTEMBER 1973

GERRY, H. W., KELLY, T. J., JR and BERNS, K. I., Arrangement of Nucleotide Sequences in Adeno-associated Virus DNA 207

STUDIER, F. W., Genetic Analysis of Non-essential Bacteriophage T7 Genes . 227

STUDIER, F. W., Analysis of Bacteriophage T7 Early RNAs and Proteins on Slab Gels 237

SIMON, M. N. and STUDIER, F. W., Physical Mapping of the Early Region of Bacteriophage T7 DNA 249

KHOURY, A. T. and DEERING, R. A., Sedimentation of DNA of *Dictyostelium discoideum* lysed on Alkaline Sucrose Gradients: Role of Single-strand Breaks in Gamma Ray Lethality of Sensitive and Resistant Strains . . 267

HAMPEL, A. and ENGER, M. D., Subcellular Distribution of Aminoacyl-transfer RNA Synthetases in Chinese Hamster Ovary Cell Culture . . . 285

FIRTEL, R. A. and LODISH, H. F., A Small Nuclear Precursor of Messenger RNA in the Cellular Slime Mold *Dictyostelium discoideum* . . . 295

FIRTEL, R. A., BAXTER, L. and LODISH, H. F., Actinomycin D and the Regulation of Enzyme Biosynthesis during Development of *Dictyostelium discoideum* 315

SAIDE, J. D. and ULLRICK, W. C., Fine Structure of the Honeybee Z-disc . 329

HIRAGA, S. and YANOFSKY, C., Inhibition of the Progress of Transcription on the Tryptophan Operon of *Escherichia coli* 339

SHRAKE, A. and RUPLEY, J. A., Environment and Exposure to Solvent of Protein Atoms. Lysozyme and Insulin 351

HIRASHIMA, A., CHILDS, G. and INOUYE, M., Differential Inhibitory Effects of Antibiotics on the Biosynthesis of Envelope Proteins of *Escherichia coli* . 373

Clarkson, S. G., Birnstiel, M. L. and Serra, V., Reiterated Transfer RNA Genes of *Xenopus laevis* 391

Clarkson, S. G., Birnstiel, M. L. and Purdom, I. F., Clustering of Transfer RNA Genes of *Xenopus laevis* 411

Letter to the Editor

Ward, A. R. and Mason, P., Influence of Proline Hydroxylation upon the Thermal Stability of Collagen Fragment α1CB2 431

Number 3, 25 September 1973

Harrison, D. P., Brown, D. T. and Bode, V. C., The Lambda Head–Tail Joining Reaction: Purification, Properties and Structure of Biologically Active Heads and Tails 437

Beerman, T. A. and Lebowitz, J., Further Analysis of the Altered Secondary Structure of Superhelical DNA. Sensitivity to Methylmercuric Hydroxide a Chemical Probe for Unpaired Bases 451

Zouzias, D., Rush, M., Murphy, E. and Novick, R., Studies on Plasmid Replication. II. *In vivo* Transcription and its Control in Penicillinase Plasmids from *Staphylococcus aureus* 471

Ginzburg, I., Miskin, R. and Zamir, A., *N*-Ethyl Maleimide as a Probe for the Study of Functional Sites and Conformations of 30 S Ribosomal Subunits . 481

Anderson, L., Intermediate Structure of Normal Human Haemoglobin: Methaemoglobin in the Deoxy Quaternary Conformation . . . 495

Soeiro, R. and Basile, C., Non-ribosomal Nucleolar Proteins in HeLa Cells . 507

Rubin, G. M. and Sulston, J. E., Physical Linkage of the 5 S Cistrons to the 18 S and 28 S Ribosomal RNA Cistrons in *Saccharomyces cerevisiae* . 521

Ball, L. A. and Kaesberg, P., Cleavage of the N-terminal Formylmethionine Residue from a Bacteriophage Coat Protein *in vitro* 531

Rousseau, G. G., Baxter, J. D., Higgins, S. J. and Tomkins, G. M., Steroid-induced Nuclear Binding of Glucocorticoid Receptors in Intact Hepatoma Cells 539

Glasel, J. A., Hruby, V. J., McKelvy, J. F. and Spatola, A. F., Deuteron Magnetic Resonance Studies on the Microdynamical Behavior of Partially Deuterated Oxytocin with Neurophysin 555

Zauderer, M., Liberti, P. and Baglioni, C., Distribution of Histone Messenger RNA among Free and Membrane-associated Polyribosomes of a Mouse Myeloma Cell Line 577

Hermann, J., Jollès, J., Buss, D. H. and Jollès, P., Amino Acid Sequence of Lysozyme from Baboon Milk 587

Letter to the Editor

Knox, J. R., Zorsky, P. E. and Murthy, N. S., Preliminary Crystallographic Data for *Escherichia coli* β-Lactamase 597

Number 4, 5 October 1973

Schröder, C. H., Erben, E. and Kaerner, H.-C., A Rolling Circle Model of the *in vivo* Replication of Bacteriophage φX174 Replicative Form DNA: Different Fate of Two Types of Progeny Replicative Form 599

Moore, P. B., Protein Synthesis catalyzed by Thiol Blocked Ribosome Preparations 615

Dickson, R. C., Assembly of Bacteriophage T4 Tail Fibers. IV. Subunit Composition of Tail Fibers and Fiber Precursors 633

Hohn, T. and Hohn, B., A Minor Pathway Leading to Plaque-forming Particles in Bacteriophage Lambda. Studies on the Function of Gene *D* . 649

Varmus, H. E., Quintrell, N., Medeiros, E., Bishop, J. M., Nowinski, R. C. and Sarkar, N. H., Transcription of Mouse Mammary Tumor Virus Genes in Tissues from High and Low Tumor Incidence Mouse Strains . . . 663

Perry, R. P. and Kelley, D. E., Messenger RNA Turnover in Mouse L Cells . 681
Appendix 694

Zgaga, V., Medić, M., Salaj-Šmic, E., Novak, D. and Wrischer, M., Infection of *Escherichia coli* Envelope–Membrane Complex with Lambda Phage: Adsorption and Penetration 697

Ordal, G. W. and Kaiser, A. D., Mutations in the Right Operator of Bacteriophage Lambda: Evidence for Operator–Promoter Interpenetration 709

Ordal, G. W., Mutations in the Right Operator of Bacteriophage Lambda: Physiological Effects 723

Letters to the Editor:

Sneider, T. W., On the Source of "Minor Thymine" in DNA from a Novikoff Rat Hepatoma Cell Line 731

Kaback, D. B., Bhargava, M. M. and Halvorson, H. O., Location and Arrangement of Genes coding for Ribosomal RNA in *Saccharomyces cerevisiae* 735

Index to Volume 79

α1CB2 (see Collagen), 431
Actinomycin D and the regulation of enzyme biosynthesis during development of *Dictyostelium discoideum*, 315
Adeno-associated virus DNA, arrangement of nucleotide sequences, 207
Adenosine monophosphate, different cyclic requirements for the induction of the arabinose and lactose operons of *Escherichia coli*, 149
Åkervall, K. (see also Rossmann, M. G.), 197
Alkaline sucrose gradient lysis and sedimentation of *Dictyostelium discoideum*, 267
Amino acid sequence of lysozyme from baboon milk, 587
Aminoacyl-tRNA synthetase, subcellular distribution in Chinese hamster ovary cell culture, 285
Anderson, L., Intermediate structure of normal human haemoglobin: methaemoglobin in the deoxy quaternary conformation, 495
Antibiotics, differential inhibitory effects on the biosynthesis of the envelope proteins of *Escherichia coli*, 373
Arabinose and lactose operons of *Escherichia coli*, different cyclic AMP requirements for their induction, 149

Baboon milk lysozyme, amino acid sequence, 587
Bacterial pili by X-ray diffraction, 57
Bacteriophage, cleavage of the N-terminal formylmethionine residue from a coat protein *in vitro*, 531
— λ, adsorption and penetration of *Escherichia coli* envelope–membrane complex, 697
— — minor pathway leading to plaque-forming particles, gene *D* function, 649
— — purification, properties and structure of biologically active heads and tails, 437
— — right operator mutations, operator–promoter interpenetration, 709
— — — — —, physiological effects, 723
— φX174 replicative form DNA, rolling circle model in the *in vivo* replication, 599
— T4 DNA polymerase synthesis control, 83
— — tail fibre subunit composition and precursors, 633
— T7 DNA, physical mapping of the early region, 249
— — early RNA and protein analysis on slab gels, 237
— — genetic analysis of non-essential genes, 227
Bacterium, nitrate-respiring, cytochrome fold recurrence, 39
Baglioni, C. (see also Zauderer, M.), 577.
Ball, L. A. & Kaesberg, P., Cleavage of the N-terminal formylmethionine residue from a bacteriophage coat protein *in vitro*, 531
Basile, C. (see also Soeiro, R.), 507
Baxter, J. D. (see also Rousseau, G. C.), 539
Beerman, T. A. & Lebowitz, J., Further analysis of the altered secondary structure of superhelical DNA. Sensitivity to methylmercuric hydroxide a chemical probe for unpaired bases, 451
Beintema, J. J. (see also Migchelsen, C.), 25
Berns, K. I. (see also Gerry, H. W.), 207
Bhargava, M. M. (see also Kaback, D. B.), 735
Bicyclic heptapeptide, phalloidin, experimental and calculated conformational characteristics, 185
Birnstiel, M. L. (see also Clarkson, S. G.), 391, 411
Bishop, J. M. (see also Faras, A. J.), 163
— (see also Varmus, H. E.), 663
Bode, V. C. (see also Harrison, D. P.), 437
Brown, D. T. (see also Harrison, D. P.), 437
Buss, D. H. (see also Hermann, J.), 587

Cellular slime mould *Dictyostelium discoideum*, small nuclear precursor of mRNA, 295
Childs, G. (see also Hirashima, A.), 373

Chinese hamster ovary cell culture, subcellular distribution of aminoacyl-tRNA synthetases, 285
Chymotrypsinogen-A activation hypothesis based on comparison of chymotrypsinogen-A and α-chymotrypsin crystal structures, 13
— and α-chymotrypsin, crystal structure comparison, 1
Cistrons coding for 5 S RNA, physical linkage to the 18 S and 28 S ribosomal RNA cistrons in *Saccharomyces cerevisiae*, 521
Clarkson, S. G., Birnstiel, M. L. & Purdom, I. F., Clustering of transfer RNA genes of *Xenopus laevis*, 411
— — & Serra, V., Reiterated transfer RNA genes of *Xenopus laevis*, 391
Clustering of tRNA genes of *Xenopus laevis*, 411
Coat protein of bacteriophage, cleavage of the N-terminal formylmethionine residue *in vitro*, 531
Collagen fragment α1CB2, influence of hydroxylation on thermal stability, 431
— primary structure analysis for the origins of molecular packing, 137
Conformational characteristics, experimental and calculated, of the bicyclic heptapeptide phalloidin, 185
Crystal structure comparison of α-chymotrypsin and chymotrypsinogen-A on which a hypothesis for activation of chymotrypsinogen-A is based, 13
— — of chymotrypsinogen-A and α-chymotrypsin compared, 1
Crystallographic cell position of the satellite tobacco necrosis particle, 197
— data for *Escherichia coli* β-lactaminase, 597
Cyanate causes accumulation of the subunit $\alpha_2\beta$ during assembly of *Escherichia coli* RNA polymerase, 115
Cytochrome fold recurrence in a nitrate-respiring bacterium, 39

Deering, R. A. (see also Khoury, A. T.), 267
Deoxyribonucleic acid from a Novikoff rat hepatoma cell line, source of minor thymine, 731
— — of bacteriophage T7, physical mapping of the early region, 249
— — — *Dictyostelium discoideum*, role of single-strand breaks in gamma ray lethality of sensitive and resistant strains, 267
— — nucleotide sequence arrangement in adeno-associated virus, 207
— — polymerase of bacteriophage T4, synthesis control, 83
— — —, RNA-directed, of Rous sarcoma virus, 163
— — replicative form of bacteriophage φX174, rolling circle model of *in vivo* replication, 599
— — superhelical, analysis of altered secondary structure, sensitivity to methylmercuric hydroxide, 451
Deuteron magnetic resonance studies on the microdynamical behaviour of partially deuterated oxytocin with neurophysin, 555
Dickerson, R. E. (see also Timkovich, R.), 39
Dickson, R. C., Assembly of bacteriophage T4 tail fibres. IV. Subunit composition of tail fibres and fibre precursors, 633
Dictyostelium discoideum, actinomycin D and the regulation of enzyme biosynthesis during development, 315
— — DNA, role of single-strand breaks in gamma ray lethality of sensitive and resistant strains, 267
— —, small nuclear precursor of mRNA, 295
Dyer, F. P. (see also Mitsui, Y.), 57

Early region of bacteriophage T7 DNA, physical mapping, 249
Electrophoresis on slab gels of bacteriophage T7 early RNAs and proteins, 237
Enger, M. D. (see also Hampel, A.), 285
Envelope proteins of *Escherichia coli*, differential inhibitory effects of antibiotics on biosynthesis, 373
Erben, E. (see also Schroder, C. H.), 599
Escherichia coli β-lactaminase, preliminary crystallographic data, 597
— —, different cyclic AMP requirements for the induction of the arabinose and lactose operons, 149
— — envelope–membrane complex, infection with lambda phage, adsorption and penetration, 697
— — — proteins, differential inhibitory effects of antibiotics on biosynthesis, 373
— —, inhibition of the progress of transcription on the tryptophan operon, 339
— — ribosomal RNA, molecular hysteresis in the acid–base titration, 95

Escherichia coli RNA polymerase subunit assembly, accumulation of the intermediate $\alpha_2\beta$ by treatment with cyanate, 115
— — — — — —, enhancing role of sigma, 127
N-Ethyl maleimide as a probe for the study of functional sites and conformations of 30 S ribosomal subunits, 481

Faras, A. J., Taylor, J. M., Levinson, W. E., Goodman, H. M. & Bishop, J. M., RNA-directed DNA polymerase of Rous sarcoma virus: initiation of synthesis with 70 S viral RNA template, 163
Faulstich, H. (see also Patel, D. J.), 185
Firtel, R. A. & Lodish, H. F., A small nuclear precursor of messenger RNA in the cellular slime mould *Dictyostelium discoideum*, 295
Formylmethionine cleavage as N-terminal residue from a bacteriophage coat protein *in vitro*, 531
Fukuda, R. (see also Ishihama, A.), 127
Functional sites and conformations of 30 S ribosomal subunits, *N*-ethylmaleimide used as a probe in their study, 481

Gamma ray lethality of sensitive and resistant strains of *Dictyostelium discoideum*, 267
Genetic analysis of non-essential bacteriophage T7 genes, 227
Gerry, H. W., Kelly, T. J., Jr & Berns, K. I., Arrangement of nucleotide sequences in adeno-associated virus DNA, 207
Ginzburg, I., Miskin, R. & Zamir, A., *N*-Ethyl malemide as a probe for the study of functional sites and conformations of 30 S ribosomal subunits, 481
Glasel, J. A., Hruby, V. J., McKelvy, J. F. & Spatola, A. F., Deuteron magnetic resonance studies on the microdynamical behaviour of partially deuterated oxytocin with neurophysin, 555
Glucocorticoid receptors in intact hepatoma cells, steroid induced nuclear binding, 539
Goodman, H. M. (see also Faras, A. J.), 163

Haemoglobin, normal human methaemoglobin in the deoxy quaternary conformation, 495
Halvorson, H. O. (see also Kaback, D. B.), 735
Hampel, A. & Enger, M. D., Subcellular distribution of aminoacyl-transfer RNA synthetases in Chinese hamster ovary cell culture, 285
Hamster (see Chinese hamster), 285
Harrison, D. P., Brown, D. T. & Bode, V. C., The lambda head–tail joining reaction: purification, properties and structure of biologically active heads and tails, 437
HeLa cells non-ribosomal nucleolar protein, 507
Hepatoma, Novikoff rat cell line, source of 'minor thymine' in DNA, 731
—, steroid-induced nuclear binding of glucocorticoid receptors in intact cells, 539
Hermann, J., Jollès, J., Buss, D. H. & Jollès, P., Amino acid sequence of lysozyme from baboon milk, 587
Higgins, S. J. (see also Rousseau, G. C.), 539
Hiraga, S. & Yanofsky, C., Inhibition of the progress of transcription on the tryptophan operon of *Escherichia coli*, 339
Hirashima, A., Childs, G. & Inouye, M., Differential inhibitory effects of antibiotics on the Biosynthesis of envelope proteins of *Escherichia coli*, 373
Histidine residues in rat and other rodent pancreatic ribonucleases, effects of pH and inhibitors by proton magnetic resonance, 25
Histone mRNA distribution among free and membrane-associated polyribosomes of a mouse myeloma cell line, 577
Hohn, B. (see also Hohn, T.), 649
Hohn, T. & Hohn, B., Minor pathway leading to plaque-forming particles in bacteriophage lambda. Studies on the function of gene *D*, 649
Honeybee Z-disc, fine structure, 329
Hruby, V. J. (see also Glasel, J. A.), 555
Hulmes, D. J. S., Miller, A., Parry, D. A. D., Piez, K. A. & Woodhead-Galloway, J., Analysis of the primary structure of collagen for the origins of molecular packing, 137
Human methaemoglobin, normal, in the deoxy quaternary conformation, 495
Hydroxylation of proline, influence on thermal stability of collagen fragment αlCB2, 431

Inhibitory effects of antibiotics on the biosynthesis of different envelope proteins of *Escherichia coli*, 373
Initiation of synthesis with 70 S viral RNA as template in Rous sarcoma virus, 163

Inouye, M. (see also Hirashima, A.), 373
Insulin, protein atom environment and exposure to solvent, 351
Ishihama, A. (see also Ito, K.), 115
—, Fukuda, R. & Ito, K., Subunits of RNA polymerase in function and structure. IV. Enhancing role of sigma in the subunit assembly of *Escheria coli* RNA polymerase, 127
Iso-1-cytochrome *c* mutants of yeast, reversion, 65
Ito, K. (see also Ishihama, A.), 127
— & Ishihama, A., Subunits of RNA polymerase in function and structure. III. Accumulation of the intermediate $\alpha_2\beta$ in the subunit assembly of *Escherichia coli* RNA polymerase by treatment with cyanate, 115

Jollès, J. (see also Hermann, J.), 587
Jollès, P. (see also Hermann, J.), 587

Kaback, D. B., Bhargava, M. M. & Halvorson, H. O., Location and arrangement of genes coding for ribosomal RNA in *Saccharomyces cerevisiae*, 735
Kaerner, H.-C. (see also Schröder, C. H.), 599
Kaesberg, P. (see also Ball, L. A.), 531
Kaiser, A. D. (see also Ordal, G. W.), 709
Katchalsky, A. (see also Revzin, A.), 95
Kelley, D. E. (see also Perry, R. P.), 681
Kelly, T. J., Jr (see also Gerry, H. W.), 207
Khoury, A. T. & Deering, R. A., Sedimentation of DNA of *Dictyostelium discoideum* lysed on alkaline sucrose density gradients: role of single-strand breaks in gamma ray lethality of sensitive and resistant strains, 267
Knox, J. R., Zorsky, P. E. & Murthy, N. S., Preliminary crystallographic data for *Escherichia coli* β-lactamase, 597

β-Lactaminase of *Escherichia coli*, preliminary crystallographic data, 597
Lambda (see Bacteriophage), 437, 649, 697, 709, 723
L cells of mouse, mRNA turnover, 681
Lactose and arabinose operons of *Escherichia coli*, different cyclic AMP requirements for their induction, 149
Langridge, R. (see also Mitsui, Y.), 57
Lebowitz, J. (see also Beerman, T. A.), 451
Lentz, P., Jr (see also Rossmann, M. G.), 197
Levinson, W. E. (see also Faras, A. J.), 163
Liberti, P. (see also Zauderer, M.), 577
Lis, J. T. & Schleif, R., Different cyclic AMP requirements for induction of the arabinose and lactose operons of *Escherichia coli*, 149
Lodish, H. F. (see also Firtel, R. A.), 295
Lysozyme from baboon milk, amino acid sequence, 587
—, protein atom environment and exposure to solvent, 351

Mammary tumour virus of mouse, gene transcription in tissues from high and low tumour incidence mouse strains, 663
Mason, P. (see also Ward, A. R.), 431
McKelvy, J. F. (see also Hruby, V. J.), 555
Medeiros, E. (see also Varmus, H. E.), 663
Medic, M. (see also Zgaga, V.), 697
Messenger RNA, a small nuclear precursor in the cellular slime mould *Dictyostelium discoideum*, 295
— — for histone, distribution among free and membrane-associated polyribosomes of a mouse myeloma cell line, 577
— — turnover in mouse L cells, 681
Methaemoglobin, normal human, in the deoxy quaternary conformation, 495
Methylmercuric hydroxide used as a chemical probe for unpaired bases in analysis of altered secondary structure of superhelical DNA, 451
Microdynamical behaviour of partially deuterated oxytocin with neurophysin by deuteron magnetic resonance, 555
Migchelsen, C. & Beintema, J. J., Proton nuclear magnetic resonance studies of histidine residues in rat and other rodent pancreatic ribonucleases. Effects of pH and inhibitors, 25

Milk of baboon, amino acid sequence of lysozyme, 587
Miller, A. (see also Hulmes, D. J. S.), 137
Miskin, R. (see also Ginzburg, I.), 481
Mitsui, Y., Dyer, F. P. & Langridge, R., X-ray diffraction studies of bacteria pili, 57
Molecular packing origins, analysis of the primary structure of collagen, 137
Moore, P. B., Protein synthesis catalyzed by thiol-blocked ribosome preparations, 615
Mouse L cells, mRNA turnover, 681
— mammary tumour virus, gene transcription in tissues from high and low tumour incidence mouse strains, 663
— myeloma cell line, distribution of histone mRNA among free and membrane-associated polyribosomes, 577
Murphy, E. (see also Zouzias, D.), 471
Murthy, N. S. (see also Knox, J. R.), 597
Mutagenic specificity, reversion of iso-1-cytochrome *c* mutants of yeast, 65
Myeloma cell line of mouse, distribution of histone mRNA among free and membrane-associated polyribosomes, 577

N-terminal formylmethionine residue cleavage from a bacteriophage coat protein *in vitro*, 531
Neumann, E. (see also Revzin, A.), 95
Neurophysin, microdynamical behaviour with partially deuterated oxytocin by deuteron magnetic resonance, 555
Nitrate-respiring bacterium, cytochrome fold recurrence, 39
Non-ribosomal nucleolar protein in HeLa cells, 507
Novak, D. (see also Zgaga, V.), 697
Novick, R. (see also Zouzias, D.), 471
Novikoff rat hepatoma cell line, source of minor thymine in DNA, 731
Nowinski, R. C. (see also Varmus, H. E.), 663
Nucleolar protein, non-ribosomal in HeLa cells, 507
Nucleotide sequence arrangement in adeno-associated virus DNA, 207

Operator, physiological effects of mutations in bacteriophage lambda right operator, 723
— –promoter interpenetration, evidence in bacteriophage λ right operator, 709
Operon, tryptophan of *Escherichia coli*, inhibition of the progress of transcription, 339
Operons, arabinose and lactose of *Escherichia coli*, different cyclic AMP requirements for their induction, 149
Ordal, G. W., Mutations in the right operator of bacteriophage lambda: physiological effects, 723
— & Kaiser, A. D., Mutations in the right operator of bacteriophage lambda: evidence for operator–promotor interpenetration, 709
Ovary of Chinese hamster, subcellular distribution of aminoacyl-tRNA synthetases in cell culture, 285
Oxytocin, partially deuterated, microdynamical behaviour with neurophysin by deuteron magnetic resonance, 555

ϕX174 (see Bacteriophage), 599
Pancreatic ribonucleases of rat and other rodents, effects of pH and inhibitors on histidine residues by proton magnetic resonance, 25
Parry, D. A. D. (see also Hulmes, D. J. S.), 137
Patel, D. J., Tonelli, A. E., Pfaender, P., Faulstich, H. & Wieland, Th., Experimental and calculated conformational characteristics of the bicyclic heptapeptide phalloidin, 185
Penicillinase plasmids from *Staphylococcus aureus, in vivo* transcription and its control, 471
Perry, R. P. & Kelley, D. E., Messenger RNA turnover in mouse L cells, 681
Pfaender, P. (see also Patel, D. J.), 185
Phalloidin, experimental and calculated conformational characteristics, 185
Piez, K. A. (see also Hulmes, D. J. S.), 137
Pili of bacteria by X-ray diffraction, 57
Plaque-forming particle formation *via* a minor pathway in bacteriophage λ and gene *D* function, 649
Plasmids, penicillinase from *Staphylococcus aureus, in vivo* transcription and its control, 471

Polymerase for DNA of bacteriophage T4, synthesis control, 83
— — —, RNA-directed of Rouse sarcoma virus, 163
— — RNA of *Escherichia coli*, accumulation of the subunit intermediate $\alpha_2\beta$ by treatment with cyanate, 115
— — — — — —, enhancing role of sigma in subunit assembly, 127
Polyribosomes, free and membrane-associated of a mouse myeloma cell line, distribution of histone mRNA, 577
Prakash, L. & Sherman, F., Mutagenic specificity: reversion of iso-1-cytochrome *c* mutants of yeast, 65
Primary structure analysis of collagen for the origins of molecular packing, 137
Proline hydroxylation influence upon thermal stability of collagen fragment α1CB2, 431
Proton magnetic resonance studies of histidine residues in rat and other rodent pancreatic ribonucleases, effects of pH and inhibitors, 25
Purdom, I. F. (see also Clarkson, S. G.), 411

Quintrell, N. (see also Varmus, H. E.), 663

Rat and other rodent pancreatic ribonucleases, effect of pH and inhibitors on histidene residues by proton magnetic resonance, 25
— hepatoma cell line, Novikoff, source of minor thymine in DNA, 731
Reiterated tRNA genes of *Xenopus laevis*, 391
Replicative form DNA of bacteriophage ϕX174, rolling circle model of *in vivo* replication, 599
Revzin, A., Neumann, E. & Katchalsky, A., Metastable secondary structures in ribosomal RNA. Molecular hysteresis in the acid–base titration of *Escherichia coli* ribosomal RNA, 95
Ribonucleases, pancreatic of rat and other rodents, effects of pH and inhibitors on histidine residues by proton magnetic resonance, 25
Ribonucleic acid-directed DNA polymerase of Rous sarcoma virus, 163
— —, location and arrangement of genes coding for ribosomal RNA in *Saccharomyces cerevisiae*, 735
— —, messenger, a small nuclear precursor in the cellular slime mold *Dictyostelium discoideum*, 295
— —, — for histone, distribution among free and membrane-associated polyribosomes of a mouse myeloma cell line, 577
— —, —, turnover in mouse L cells, 681
— —, physical linkage of the 5 S cistrons to the 18 S and 28 S ribosomal RNA cistrons in *Saccharomyces cerevisiae*, 521
— — polymerase of *Escherichia coli*, accumulation of the subunit intermediate $\alpha_2\beta$ by treatment with cyanate, 115
— — — subunit assembly in *Escherichia coli*, enhancing role of sigma, 127
— —, reiterated tRNA genes of *Xenopus laevis*, 391
— —, ribosomal of *Escherichia coli*, molecular hysteresis in the acid–base titration, 95
— —, subcellular distribution of aminoacyl-tRNA synthetases in Chinese hamster ovary cell culture, 285
— —, transfer, clustering of genes in *Xenopus laevis*, 411
— — and proteins, early of bacteriophage T7 analysed on slab gels, 237
Ribosomal subunits, 30 S, *N*-ethyl maleimide used as a probe in the study of functional sites and conformations, 481
Ribosomes, thiol blocked preparations catalyse protein synthesis, 615
Rodent pancreatic ribonucleases, effects of pH and inhibitors on histidine residues by proton magnetic resonance, 25
Rolling circle model of the *in vivo* replication of bacteriophage ϕX174 replicative form DNA, 599
Rossmann, M. G., Åkervall, K., Lentz, P., Jr & Strandberg, B., X-ray studies of the satellite tobacco necrosis virus: position of the virus particle in the crystallographic cell, 197
Rous sarcoma (see Virus), 163
Rousseau, G. G., Baxter, J. D., Higgins, S. J. & Tomkins, G. M., Steroid-induced nuclear binding of glucocorticoid receptors in intact hepatoma cells, 539
Rubin, G. M. & Sulston, J. E., Physical linkage of the 5S cistrons to the 18 S and 28 S ribosomal RNA cistrons in *Saccharomyces cerevisiae*, 521
Rupley, J. A. (see also Shrake, A.), 351
Rush, M. (see also Zouzias, D.), 471
Russel, M., Control of bacteriophage T4 DNA polymerase synthesis, 83

Saccharomyces cerevisiae, location and arrangement of genes coding for ribosomal RNA, 735
— —, physical linkage of the 5 S cistrons to the 18 S and 28 S ribosomal RNA cistrons, 521
Saide, J. D. & Ullrick, W. C., Fine structure of the honeybee Z-disc, 329
Salaj-Šmic, E. (see also Zgaga, V.), 697
Sarkar, N. H. (see also Varmus, H. E.), 663
Satellite tobacco necrosis (see Virus), 197
Schleif, R. (see also Lis, J. T.), 149
Schröder, C. H., Erben, E. & Kaerner, H.-C., A rolling circle model of the *in vivo* replication of bacteriophage ϕX174 replicative form DNA: different fate of two types of progeny replicative form, 599
Sedimentation of DNA of *Dictyostelium discoideum* lysed on alkaline sucrose gradients, 267
Serra, V. (see also Clarkson, S. G.), 391
Sherman, F. (see also Prakash, L.), 65
Shrake, A. & Rupley, J. A., Environment and exposure to solvent of protein atoms. Lysozyme and insulin, 351
Sigma, enhancing role in the subunit assembly of *Escherichia coli* RNA polymerase, 127
Simon, M. N. & Studier, F. W., Physical mapping of the early region of bacteriophage T7 DNA, 249
Slab gel analysis of bacteriophage T7 early RNAs and protein, 237
Sneider, T. W., On the source of "minor thymine" in the DNA from a Novikoff rat hepatoma cell line, 731
Soeiro, R. & Basile, C., Non-ribosomal nucleolar proteins in HeLa cells, 507
Spatola, A. F. (see also Hruby, V. J.), 555
Staphylococcus aureus penicillinase plasmid, *in vivo* transcription and its control, 471
Steroid-induced nuclear binding of glucocorticoid receptors in intact heaptoma cells, 539
Strandberg, B. (see also Rossmann, M. G.), 197
Studier, F. W. (see also Simon, M. N.), 249
——, Analysis of bacteriophage T7 early RNAs and proteins on slab gels, 237
—, Genetic analysis of non-essential bacteriophage T7 genes, 227
Sulston, J. E. (see also Rubin, G. M.), 521
Superhelical DNA, analysis of altered secondary structure, sensitivity to methylmercuric hydroxide, 451
Synthetases for aminoacyl-tRNA, subcellular distribution in Chinese hamster ovary cell culture, 285

T4 (see Bacteriophage), 227, 237, 249, 633
Tail fibre subunit composition and precursors in bacteriophage T4, 633
Taylor, J. M. (see also Faras, A. J.), 163
Thermal stability of collagen fragment α1CB2, influence of proline hydroxylation, 431
Thiol-blocked ribosome preparations catalyse protein synthesis, 615
Thymine, minor, source in DNA from a Novikoff rat hepatoma cell line, 731
Timkovich, R. & Dickerson, R. E., Recurrence of the cytochrome fold in a nitrate-respiring bacterium, 39
Tomkins, G. M. (see also Rousseau, G. C.), 539
Tonelli, A. E. (see also Patel, D. J.), 185
Transcription *in vivo* and its control in penicillinase plasmids from *Staphylococcus aureus*, 471
— of mouse mammary tumour virus gene in tissues from high and low tumour incidence mouse strains, 663
—, progress inhibition on the tryptophan operon of *Escherichia coli*, 339
Transfer RNA gene clustering in *Xenopus laevis*, 411
— — genes of *Xenopus laevis*, reiterated, 391
— — synthetases, aminoacyl, subcellular distribution in Chinese hamster ovary cell culture, 285
Tryptophan operon of *Escherichia coli*, inhibition of the progress of transcription, 339
Tumour (see Virus), 663

Ullrick, W. C. (see also Saide, J. D.), 329

Varmus, H. E., Quintrell, N., Medeiros, E., Bishop, J. M., Nowinski, R. C. & Sarkar, N. H., Transcription of mouse mammary tumour virus genes in tissues from high and low tumour incidence mouse strains, 663

Virus, arrangement of nucleotide sequences in adeno-associated virus DNA, 207
—, mouse mammary tumour, gene transcription in tissues from high and low tumour incidence mouse strains, 663
—, Rouse sarcoma, RNA-directed DNA polymerase, 163
—, satellite tobacco necrosis, position of the virus particle in the crystallographic cell, 197

Ward, A. R. & Mason, P., Influence of proline hydroxylation upon the thermal stability of collagen fragment α1BC2, 431
Wieland, Th. (see also Patel, D. J.), 185
Woodhead-Galloway, J. (see also Hulmes, D. J. S.), 137
Wright, H. T., Activation of chymotrypsinogen-A. A hypothesis based upon comparison of the crystal structures of chymotrypsinogen-A and α-chymotrypsin, 13
—, Comparison of the crystal structures of chymotrypsinogen-A and α-chymotrypsin, 1
Wrischer, M. (see also Zgaga, V.), 697

X-ray diffraction studies of bacterial pili, 57
— studies of the satellite tobacco necrosis virus, position of the virus particle in the crystallographic cell, 197
Xenopus laevis reiterated tRNA genes, 391
— — tRNA gene clustering, 411

Yanofsky, C. (see also Hiraga, S.), 339
Yeast iso-1-cytochrome *c* mutant reversion, 65

Z-disc of honeybee, fine structure, 329
Zamir, A. (see also Ginzburg, I.), 481
Zauderer, M., Liberti, P. & Baglioni, C., Distribution of histone messenger RNA among free and membrane-associated polyribosomes of a mouse myeloma cell line, 577
Zgaga, V., Medić, M., Salaj-Šmic, E., Novak, D. & Wrischer, M., Infection of *Escherichia coli* envelope–membrane complex with lambda phage: adsorption and penetration, 697
Zorsky, P. E. (see also Knox, J. R.), 597
Zouzias, D., Rush, M., Murphy, E. & Novick, R., Studies on plasmid replication. II. *In vivo* transcription and its control in penicillinase plasmids from *Staphylococcus aureus*, 471